

A. 2078

Utrecht.
~~Groenewegen~~
Garreë nîe.

Herb. Harvey,
Alsidiium Schottii
Dystichloea n. sp.
Cartagena
Schott

- ⑨ FARLOWE - NOTEBOOK,
Notes on fungi

Herb. Harvey.
alsidium Schottii
Dystiphloea n. sp.
Catasea
Schott
Ectocarpus strobloides
Ptilota lyngbyoides

Brown
1932

Polyphorus
valgoperiensis

Look up *Polyphorus*
multiplicatus in
connection with
Gipi, Horne.

Polyphorus trachyspus
Mont. Lullivant
Agard & Psallidioty
Ergonomus.
Lullvant,

Kew
actinieps
Thwaitesii
(Lichen melanurus)
not there....
Hyperaspis,
flavidecens B. & C.
✓ Chrysanthemum
New Zealand
" rauvuloxanthum
Polykome rosacea
Amanita striatula
Podaxis
Amanita
solitaria

Peziza truncicoma Ley.

Pez. pallidula C. & P.

Pez. dupliflora C. & B.

P. fragacea ^{Bac} _{Ey}
Sarcoscypha ^{Ey}

Tremella aurantia

T. hygrophoroides

Hydnellum setosum

Craterellus pistillifer

Craterellus (veolit)

Cytosporina

ludibunda Sacc.

Cyathella, Thaxter.

66

—
—
—

Enclosure

August
Paula
Tate

Compositae

Paniceae

Asteraceae

Lamiaceae

Orchidaceae

Gramineae

Leguminosae

etc.

Gramineae

Gramineae

Herbe Mount

Osmundophyllum
americana

Grimia Cultraria

Phyllophora

Maillardia

Micrulaevigata

Leskeana hemisphaerica

Bolitaena

Tabularia

Calliergon ~~repens~~

Call. intricatum

Call. sphaericum

145

Buoyage

W.H.

Melons

Kiwis

Apples

Pears

Tropical fruits

Cocoanut

All the same

Bread

Green vegetables
Cucumbers

P. marina
longilobata
var. Pilosa

P. ~~longilobata~~ ^{longilobata}
var. ?

P. pilosa
Divergent
~~also~~ ^{also} Tachio -
Solan antillarum

Great buckwheat

Alz, leeu-

Wij zijn
vandaag
gaat
- de nacht

verdeelde
- een groep
van vaders
sonen, zonen
alleen te

7. 2000

11. 1000

12. 1000

13. 1000

14. 1000

15. 1000

16. 1000

17. 1000

18. 1000

19. 1000

20. 1000

21. 1000
in the
M. Hall

22. 1000

about 1000
adults
adults
adults

to the tree

the water

out of the

the plant

the water

legible

the water

the water

the water

the water

4000' - 4500'

1000' - 1500'

1000' - 1500'

3000'

4000' - 4500'

1000' - 1500'

elbow. like

smaller
tail

frontal

dear

longer

17
1000' - 1100'
1000' -

Yankee Woods

Step

Step

Step

Step

4

July 1960

11

12

19. *Leucosia* *leucostoma* *leucostoma* *leucostoma*

12/14

Chlorophyll

Chlorophyll

Middle

and sign

for collection

26
left
right was
well what
else the
other



f

1000

1000

1

1000

1000


1000

1000

not.

yet,

fauve



4

6th class

Chemical

Chemical reaction -

classification

reactions

reaction

reaction

reaction

reaction

reaction

Lepiota
emphastion.

Lacunar
subciliata =
L. subolivacea,
var. crenulata,
Cochlios
biglobula

Hypnoloma,
Stropharia
thraustes

Gomphidius
maculatus

Boletus
curvipes, ~~var.~~

Boletus curvipes
= *B. granulatus*
var. *tenipes*,
cf. *B. curvipes*, ~~var.~~



W. H. D.

Fluorite

Ridge

Canyon

W.



Chrysanthemum
cooperi, Gaert.
Bergamot
Dekking Root
41. 92.
= Chrysanthemum
concentricum
Provan

~~Sept 20~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~1900~~

~~July~~

~~20~~

Gallez

67

Ganache,
française,

~~Everything
green today~~

Geological
Survey
Report
of the
United States
for the year

Also given
in each State

and in
each
Territory

the sea
fastest river
travelled
in the valley
of the Indus

where
the
~~the~~

island
is
island
island

+ 17th

1



~~Grosularia~~
apicillata
looks like
G. Pailei

~~Grosularia~~
crassissima
looks like
G. Wrightii -

In Herk. Mout.
is a ~~Grosularia~~
ulvacea on
~~Lioderma~~
floccosa (marked
~~Largostemum~~) from
N.W. America
Mrs. Barclay

Diagora guiscida
var. *lancea* and
Galasaure valida
n. sp., seem to
be *L. Chequiana*

Diagora patens
small dichotomous

Gracillera ex
cinnato cru.
Same as regular
dichotomous
purple cinnatum
from Lauro Cruz
N. 9

Chrysolocladiella
Mulleri &
Chrysopmenia
chrysocladinioides
Cru. = Chrysop
alicornicoides
Is not chrysop
menia subvertic
cellata the same?

X *Chrysopmenia*
dictyonema
flabellata =
Chr. decipiens.

Relvictora
antillarum. Is
this Mrs. Galles plant

Herb. Mount

Pennellia
longiaristellata
var. same as
P. decumbens

Bryophaea
Dichaea skottsbergii
and *Trichosalpinx*
Antillariae
look like the
Bryophaea from
Florida, Palmer
or Hooper.

Thlaspi melananum
Rollogramma
var. (with walls
= also diem Blatt)

Baudier,
Bridgeman 415.424
Baudier hesitates
between Tuckerman
reginellum
T. cerasinae,

417. Thinks
this Stereopharia
cotoneus Quel.,
which he thinks
is A. laevigata Mende,
Fr. but not of
Bulliard.

238. Thinks this
is Pezloccyea he
areolatus but
does not know the

435. Thinks
that this is
Cylindera distorta.

Has never seen
Amanita Frostiana,
says it is no
variety of Muscaria,

269. Thinks it
is Boletus elegans

54 blue he calls
Boletus flavescens.

172. *Russula*
rubra!

331. *Boletus felleus*!

416. Look this
up and see if
there are cystidia.
If there are it
is not *Corticarius*
but *Procybe*.
Some *Procybe*
however have
no cystidia.

112. Not a form
of *Corticarius*
~~or~~ *Chamomile*

445. Not Cantharellus
cinerascens
May be Cantharellus
sinuatus

309. Boletus
subterraneus

156. Boletus
speciosus

293. 294 & 301
certainly not.
Boletus felleus,
quite unknown
to Boadicea,

63 blue. Paxillodes
fallax or
Rosea

76. Psallotus
glucosae.

389. Look up
Stropharia
squamosa
The hummocks
of gills however
suggest Hyphol-
oma and
may be near
H. velutinus
403. Boletus
veinulosus.

77 plate 2 photo
biannular
see Lepidostropha sparsa
in Leucand.



Corticium
extremum

B. & Dav.

= C. sulfureum
yy.

Marginal hyphal
filaments

3. Plana.

now called (A.S.)
markedly distinct
from Sphaerosporium

Dasyopeltis
Magee & Flueck is
not true C. Blot.

Dasya floridana

Sav. moss,

= D. mucronata

D. com., white

P. Ag. in Cuba

2, mucronata

De Massowiana
Mort

an view

hoa Corallina

X Epoxia in
frang.
leaves

Latya

Glebecum



Strausia delicatula
same as *Cloelophes*
anastomosans

Spotted
wood
73 Queen
Victoria BC

Hedlundthor
Ante Clarum Crn
is Niagara pinnata.

Rhodomyrtus subpinna
subpininata is
a Lyreleaf Correa

Grevillea

undulata Crn

G. cuneifolia L. G.

G. laevigata G. A.

✓ G. gibbesii

seem to be the
same

Chrysanthemum

Cooper's Island

Dockenby Stock

Barnacle O.

Cerrensen

coeruleans Crn.

Send to Burret,
Saunders, Fisher
and the big
Kelumbinthrocladia
from California.

The Bonne Mesa
hampea differs
from *B. aspera* Bde.
in having
rooted branches
but also has
a difference
in cortical
cells.

Send to Burret
grateleaved
Gibesia.

Schramm & Maze.
Essai de Classifica-
tion des Algues
de la Gouache loubière
par A. Schramm & H.
Maze. ~~Basse Terre~~
~~Imprimerie du Gou-~~
~~ache loubière~~ 1866

p. 144. Autograph
not printed with
some descriptions
not given in the
edition of 1865

Cayenne Guyanae
française

p. B. 172 Ed. que Schramm
& Maze. 3^e éd. que,
Maze & Schramm,
Schramm being
then dead.

Titles of Migeot's
Soleniums.

Essai de Classification
des Algues
de la Guadeloupe
par A. Schwann
et H. Migeot. Basse-
Terre. Imprimerie
du Gouvernement.
1865. pp. 52, 4.

Printed on one
side of page only.
The only descriptions
are the notes as
to different points
which are repeated
in the book of
Migeot & Schwann

Callithamnion
irregularare does not
specially look like
Sternocodium
Synderia in my
herbarium. The
filaments are not
so long any regular
call. *sphaericum*
~~most~~ tru. has
coarse filament
and forms a
regular ball.

Microdianion
from Guadalupe
Palmer, is *M. am-*
bileatum = *M.*
agardhiigianum &
M. Kelleyanum.

Jania virgata
& *J. Cubensis*
are about the
same.

The Bermudian
Sudres negae are
I.D. purplifera
with terminal
auxillary cells.
and other two
are new.

Helminthocladia
schrammii Crn
has trichogyne
and is ~~not~~ a
rhizopore plant
as claimed by
Agardh. See Agardh

The *Calotrichis gyrophila*
described by
Mrs Curtis was
so named by
Bonet from a
small but sent
to him by Agardh.
On seeing a large
specimen Bonet
stirring that it is
probably a distinct
species but near
gyrophila.

The *Noctes heterocysta*
of Bonnet & Chauvet
include just only
forms with hetero-
cyst but all
Noctes having two
kinds of cells, whether
in bases or heterocysts.

Large pellucida
cm. in herb. Bouvet
is very small
and looks like
Mangalia punctata but it
is not.

Only 100 copies of
Bouvet & Labeyrie
were printed. Of
Notes Algal. 125
copies.

Broadwing, one
specie at least is
not green but is
red and related to
Mangalia

Eupogonodes (*Dasya*)
mazei. The specimen
from Spanish Point
Bermuda. Flagg
in my herbarium
is this species.

Dasya Hassonioides
Mont. is a syno-
nym of *Dasya*
Ramosissima
Harr.

There is the manu-
script name of
D. complicata.

Herk. Bornet.
noslo Leickhae
in Collinis &
N. verrucosum.

The Noslo Leytean
Baudensis is a
mixture of two
things one of
which is D.
figuratum.

Tasgo ^{ocellata} ~~arborescens~~
cooperi's Island
is really of form
~~of that species~~.
In Croceans Alg.
Genad. it is called
D. arborescens and
in Crocean herbarium

Peltier.
Hippomelus
*inequale*s.

Bull. Soc. Bot.
Belg. wanting
compte Rendus
1-84, Vol. XXXII (1893)

Bot. Notizen.

I have
1840. 41, 43. 44,

1852. 53. 56. 65

and after '71.

1850
1851
1851
1851



